Network lab with Vagrant and Ansible

Ondřej Caletka



30th July 2020





Licensed under Creative Commons Attribution 4.0 International

Network lab for Learning & Development

- practical excercises for face to face training courses
- two servers hosted inhouse, capacity 2 × 16 seats
- Cisco routers running in an emulator or in a KVM-based virtual machine
- accessible over the Web using HTTPS and Javascript-based terminal
- memory hungry, hard to scale



Problem: labs for e-learning

- accessible for everybody from anywhere, ideally at any time
- high peaks of concurrent users expected
- should be cost-effective (close to) free for participants
- should be reasonably user-friendly

This look like a job for *cloud computing*.





There is NO CLOUD, just other people's computers



Proposed solution: run labs on users' computers

- very diverse set of environments: Windows, macOS, Linux, ChromeOS, Android, iOS, x86, amd64, arm, aarch64
- ideal: run everything inside web browser
 - theoretically possible with today's browsers' technologies
 - bad effort/effect ratio
- less ideal: provide a VirtualBox image
 - VirtualBox provides similar experience on Windows, macOS, Linux
 - CPU architecture have to be fixed
 - dealing with virtual machines is often unpleasant (keyboard layout, screen resolution, font size...)
- finally: provide a headless VirtualBox image with web-based interface



Prototype BGP lab

- automatically deployed using Vagrant and Ansible
- on hard dependency on Vagrant, can be deployed manually as well
- deploys LXD containers with Alpine Linux and FRRouting (cca. 70 MiB)
- router consoles exposed using ttyd
- static HTML content build using Jekyll

https://github.com/oskar456/vagrant-netlab-bgp



Demo time!

This slide is intentionally left blank.



Thank you!

Ondřej Caletka
Ondrej.Caletka@ripe.net
https://Ondřej.Caletka.nl

